

# DONAHUE

# TRUCK CENTERS

*Quality Tested Replacement Components*



# DONAHUE TRUCK CENTERS

## Air Dryer Assemblies

- All New - No Cores Required
- Exact Fit & Function As OEM
- 1 Year Unlimited Mileage Warranty

DTC #:	REPLACES:	VOLTS:	PRODUCT INFORMATION:
DTCBWR109685	065225 109685	12 Volt	Replaces Bendix AD-9 Includes Bracket Kit
DTCTDAR955205	R955205 4324130010	12 Volt	Replaces Meritor/Wabco Model 1200 Includes Pressure Controlled Check Valve
DTCBW065612	065612 109477	12 Volt	Replaces Bendix AD-IP



## Air Dryer Cartridges

- Includes Seal Ring Set
- All New - No Cores Required
- Exact Fit & Function As OEM
- 1 Year Unlimited Mileage Warranty
- Excellent Air Drying Performance

DTC #:	REPLACES:	PRODUCT INFORMATION:
DTCTDAR950068	R950068	Oil Coalescing Replaces Bendix AD-SP Meritor System Saver 1200 & 1200P
DTCTDAR950011	109994 5008414 R950011 432-420-220-2 432-410-020-2 I-85127-004 I-487-434-901	Replaces Bendix AD-SP Meritor System Saver 1200 Knorr & Bosch Applications
DTCBW065624	065624 109493	Replaces Bendix AD-IP



### PURGE VALVE KIT DTCTDAR950014

Replaces #: **R950014**

- Works w/ Meritor Air Dryers



### HIGH BOOST PURGE VALVE KIT DTCBWK022105

Replaces #: **K022105**

- Works w/ Bendix AD-IP & AD-IS



### PRESSURE CONTROLLED CHECK VALVE

DTCTDAS4341003100

Replaces #: **S434-100-310-0 | 065677**

- Works w/ Bendix AD-SP & Meritor R955205 Air Dryers



### PURGE VALVE KIT DTCBW5005037

Replaces #: **5005037 | 5004337  
107798**

- Works w/ Bendix AD-9
- Hard Seat
- Includes Purge Piston Assembly



AD-4®, AD-9®, AD-SP®, AD-IP®, AD-IS® & ST-4® are registered trademarks of Bendix

Use of other manufacturer's names, part numbers, or trademarks are solely used for informational/identification purposes.

## ALL REPLACEMENT GOVERNORS HAVE THE FOLLOWING FEATURES:


- Passed The SAE Standards Endurance Test
- 130 PSI Input Pressure & Delivery, Exhausted in a 4 Second Cycle +200,000 Times

DTC #:	REPLACEMENT FOR BENDIX #:	REPLACEMENT FOR HALDEX #:	DESCRIPTION:	PRODUCT INFORMATION:
DTCBW275491	275491	KN-18530	Governor	Standard Replacement for Bendix D-2™ All Ports 1/8" NPT Includes 4 Plugs & Mounting Gasket Pre-set at 125 PSI
DTCBW800361	800361	—	Governor	All Ports 1/8" NPT Includes 4 Plugs & Mounting Gasket Pre-set at 130 PSI-Non Adjustable



## Valves

DTC #:	REPLACES #:	DESCRIPTION:	PRODUCT INFORMATION:
DTCBW801631	801631	Control Valve (MV-3)	Replacement For Bendix MV-3™ Multiple Peterbilt Applications
DTCBW801360	801360	Control Valve (MV-3)	Replacement For Bendix MV-3™ Multiple Freightliner Applications
DTCTDARKN20619	KN-20619	Manifold Dash Control Valve	Replacement For Haldex Multiple Volvo Applications
DTCBW229859	229859	Quick Release Valve (QR-1)	Replacement For Bendix Mounts to Tractor Protection Valve Inline valve
DTCTDARSL110500	110500	Spring Brake Control Valve	Replacement For Sealco Spring Brake Priority
DTCTDARSL110800	110800	Spring Brake Control Valve	Replacement For Sealco Spring Brake Priority
DTCTDAS4005001010	S400-500-101-0	Modulator Valve Assembly	ECU Trailer ABS Valve 2S/1M Trailers




## Drain Valves

DTC #:	PRODUCT INFORMATION:
DTCTDAR95512104	Ports: 1/4" NPT Male Thread Manual, Includes 4ft Cable
DTCTDAR95512105	Ports: 1/4" NPT Male Thread Manual, Includes 5ft Cable




## Leveling Valves

DTC #:	REPLACES #:	PRODUCT INFORMATION:
DTCBKSKD2204	KD2204	Ports: 1/4" NPT Arm: Straight, 8" on Centers
DTCBKSKD2205	KD2205	Ports: 1/4" NPT Includes Dump Feature



# DONAHUE TRUCK CENTERS

Large, easy grip handles



Swivel end fittings



**ALL REPLACEMENT 3 in 1 AIR ELECTRIC HOSE KITS HAVE THE FOLLOWING FEATURES:**

- Fully ABS Compatible, Spiral Wrapped for Clean Look, Color Coded for Gladhands
- Cold Weather Kink Resistant
- Includes Hanger Bracket Mounting Assembly for Easy Suspension

DTC #:	REPLACES #:	DESCRIPTION:	PRODUCT INFORMATION:
DTCABPN42AAPL15	ABPN42AAPL15	3 in 1 Air Electric Hose Kit	Length: 15ft

**ALL REPLACEMENT AIR COIL ASSEMBLIES HAVE THE FOLLOWING FEATURES:**



- SAE J844 Compliant
- Cold Weather Resistant
- Plated Spring Guards
- 150 PSI Operating Systems
- Excellent Coil Memory & Durability



DTC #:	REPLACES #:	DESCRIPTION:	PRODUCT INFORMATION:
DTCHDX11952	11952	Air Coil Assembly	Length: 15ft w/ 12" Leads
DTCHDX11954	11954	Air Coil Assembly	Length: 15ft w/ 12" & 40" Leads




DTC #:	REPLACES #:	DESCRIPTION:	PRODUCT INFORMATION:
DTCABPN54ASFA15SE	ABPN54ASFA15SE	ABS Cable	Length: 15' Includes 2 Die Cast Plugs(SAE J560 Certified) & Spring Guards ABD Cable: 1-8, 2-10, 4-12 Gauge Cable SAE J2394 Certified, Type F Requirements
DTCABPN54ASFE155CE40	ABPN54ASFE155CE40	ABS 7 Way Coil	Length: 15' w/ 12" & 48" Leads ABD Cable: 1-8, 2-10, 4-12 Gauge Cable 7 Conductor Includes Zinc Metal Plugs & Spring Guards



DTC #:	REPLACES #:	DESCRIPTION:	PRODUCT INFORMATION:
DTCTDAR11444	11444	3/8" Gladhand-Angled Service	40° Bracket Mount Includes 3/8" Pipe Plug Color Coded Blue for Service
DTCTDAR11445	11445 3946756	3/8" Gladhand-Angled Emergency	40° Bracket Mount Includes 3/8" Pipe Plug Color Coded Red for Emergency
DTCABPN42AGHSU	ABPN42AGHSU	1/2" Gladhand-Universal	Color Coded Gold for Universal Usage
DTCABPN42AGHSE	ABPN42AGHSE	1/2" Gladhand-Emergency	Color Coded Red for Emergency
DTCABPN42AGHSS	ABPN42AGHSS	1/2" Gladhand-Service	Color Coded Blue for Service

DTC #:	REPLACES HALDEX #:	PRODUCT INFORMATION:
DTCS18580	DA9017R	Polyurethane Gladhand Seal - Red
DTCS18581	DA9017B	Polyurethane Gladhand Seal - Blue
DTCABPN42AGHGRP	ABPN42AGHGRP	Anodized Aluminum Gladhand Sure-Grip Set



DTC #:	REPLACES #:	PRODUCT INFORMATION:
DTCS18632	11514	Gladhand & Plug Holder
DTC24909	—	Air Hose & Gun Set



## SPRING BRAKES & COMPONENTS

### ALL REPLACEMENT SPRING BRAKES ARE EQUIPPED WITH:

- Positive Alignment Steel Power Spring Retainer
- Reinforced 11 Gauge Steel Non-Pressure Housing
- High Strength Steel Clamp Bands & Plated Steel Housings
- Lightweight Aluminum Adapter Housing
- Epoxy Coated Power Spring & Double O-Ring Center Seal
- Universal Push Rod With Stroke Indicator



DTC #:	REPLACES #:	PRODUCT INFORMATION:
DTC3030TS	3030-TS	Tandem Sealed (Complete) Includes Hardware & Clevis
DTC3030TSL	3030-TSL	Tandem Sealed (Complete) -Long Stroke Includes Hardware & Clevis

### MATING COMPONENTS




**CLEVIS**  
**DTCBW228790**  
Replaces:  
BW 228790



**CLEVIS**  
**DTCTDAR810019**  
Replaces:  
TDA R810019

DTC #:	REPLACES #:	PRODUCT INFORMATION:
DTC2424TS	2424-TS	Tandem Sealed (Complete)
DTC2430TS	2430-TS	Tandem Sealed (Complete)



DTC #:	REPLACES #:	PRODUCT INFORMATION:
DTC3030PSLS	3030-PSLS	Piggyback Sealed -Long Stroke
DTC3030PB	3030-PSK	Piggyback Sealed Kit
DTC3030PS	3030-PS	Piggyback Sealed
DTC3030PBL	3030-PSLSK	Piggyback Sealed Kit -Long Stroke



# DONAHUE TRUCK CENTERS

## SERVICE BRAKE CHAMBERS

ALL REPLACEMENT SERVICE BRAKE CHAMBERS ARE EQUIPPED WITH:

- Direct Replacement for all Service Brake Chambers on the Market
- Includes Mounting Hardware & Clevis Assembly

DTC #:	REPLACES #:
DTC20SC	20SC
DTC24SC	24SC
DTC30SC	30SC
DTC16SCLS	16SCLS (Long Stroke)
DTC24SCLS	24SCLS (Long Stroke)
DTC30SCLS	30SCLS (Long Stroke)



## FEATURES OF REPLACEMENT GUNITE & MERITOR SLACK ADJUSTERS

- 5.5" & 6" Arms
- Complete w/ Straight Clevis
- Unhanded Design, Drilled Worm Wheel
- Factory Lubricated & Sealed, Heavy Duty Internals
- No External Brackets Required
- Long Stroke Compatible
- Finest Quality Ductile Nodular Iron

GUNITE STYLE:				
SPLINE:	DRILLING:	DTC #:	REPLACES #:	PRODUCT INFORMATION #:
1 1/4" - 10	5 1/2"	DTCGUNAS1172	AS1172	Works w/ Welded Clevis 1.3" Pin Center Distance



**GUNITE**  
Clearance Sensing  
Collar Lock Clevis



**MERITOR**  
Stroke Sensing  
Non Quick-Connect Clevis

GUNITE STYLE:		MERITOR STYLE:			
SPLINE:	DRILLING:	DTC #:	REPLACES #:	DTC #:	REPLACES #:
1 1/4" - 10	5 1/2"	DTCGUNAS1136	AS1136	—	—
1 1/2" - 10	5 1/2"	DTCGUNAS1132	AS1132	—	—
1 1/2" - 28	5 1/2"	DTCGUNAS1140	AS1140	DTCTDAR801073	R801073 / R803110
1 1/2" - 28	6"	DTCGUNAS1141	AS1141	DTCTDAR801074	R801074 / R803112

## FEATURES OF MANUAL SLACK ADJUSTERS

- Straight Arm Standard Duty w/ Bronze Bushings
- 30,000lb Rating w/ SAE J1461 Draft 4 Testing  
30,000in/lb Max Torque Rating

SPLINE:	DRILLING:	DTC #:	REPLACES BENDIX #:	REPLACES HALDEX #:	ADDITIONAL REPLACES #:
1 1/2" - 28	5" & 6"	DTCHDXKN44051	286965	KN44051	E2458 M638 L1308 5-238



GUNITE is a trademark of Gunite Corp.

# DONAHUE TRUCK CENTERS

## FEATURES OF REPLACEMENT HALDEX SLACK ADJUSTERS:

- Unhanded Design, Drilled Worm Wheel
- Factory Lubricated & Sealed, Heavy Duty Internals
- Long Stroke Compatible, Finest Quality Ductile Nodular Iron
- Includes Necessary Bracket Kits

SPLINE:	DRILLING:	DTC #:	HALDEX #:	TYPE:
1 1/2" - 28	5" / 6"	<b>DTCHDX40010140</b>	400-10140	Drive Axle
1 1/2" - 10	5 1/2" / 6 1/2"	<b>DTCHDX40010143</b>	400-10143	Drive Axle
1 1/2" - 28	6"	<b>DTCHDX40010144</b>	400-10144	Drive Axle



**HALDEX**  
Clearance Sensing

## COMPONENTS & FEATURES:

- 3 Collapsible Reflective Triangles In Compact, 1 Piece Storage Box
- Rotate 1/4 Turn & Still Stay Upright In Heavy Traffic Or Bad Weather
- Weighted Bases, No Tools Required For Setup
- Meets DOT, NHTSA & FMVSS 125 Requirements

DTC #:	DESCRIPTION:	PRODUCT INFORMATION:
<b>DTCKNG1005</b>	Warning Triangle Kit	M Series Dimensions: 17" x 17" 3 Per Box, 2lbs 15oz Each



HALDEX is a trademark of Haldex AB Corp. MERITOR is a trademark of Meritor, Inc

# DONAHUE TRUCK CENTERS



**2927 E. Ventura Blvd.  
Oxnard CA 93036**

**4041 E. Brundage LN  
Bakersfield CA 93307**

**7911 Redwood Dr. #131  
Cotati CA 94931**

**200 W. Santa Maria St.  
Santa Paula CA 93060**

**2340 Westgate Rd.  
Santa Maria CA 93455**